

15 Ave de Lattre de Tassigny
17500 Jonzac
Tel - +33 (0)5 46 48 37 99

website - www.bluepools.co.uk
Email - lukewitt@bluepools.co.uk



POOL RANGE

February 2006



BASIC RANGE

For a durable swimming pool and a high quality finish complete with our comprehensive planning service, bespoke design by a qualified engineer, our lifetime structural guarantee and construction to our rigorous standards. The pool in the photo is fitted with an optional roman end. Prices start below €17 000 HT.



COGNAC RANGE

Pools from the Cognac range also include a plain 3m roman end, vacuum point, summer cover with roller, winter cover, chemical pack and brush pack. Prices start below €19 000 HT.



BERGERAC RANGE

In addition to the features of a Cognac pool, a Bergerac pool also includes a liner tile band, an in-line chlorine/bromine feeder, underwater lights and «Ardoise» margelles. Prices start below €20 000 HT.



RIBERAC RANGE

Everything a Bergerac pool has, plus a fully patterned liner and saltwater chlorination. The Riberac pool on the left is under construction and shows the slab shear connectors that are included with every one of our pools. Prices start below €21 000 HT.



JONZAC RANGE

Our top of the range model features everything that is included in the pools above, plus a deluxe roman with matching liner and pH regulation. Prices start below €23 000 HT.



PAVING

Available from €100 HT per square metre for «Sahara» 50x50cm paving. The slabs are laid on a sand/cement bed on a 15cm thick reinforced concrete slab with coloured proprietary grout. The reinforced concrete slab is connected to the pool structure with shear connectors to prevent cracking and subsidence.



DECKING

Available from €100 HT per square metre for treated softwood decking. The planks are fixed to treated softwood bearers with proprietary anti-corrosion deck screws on a 15cm thick reinforced concrete slab. The reinforced concrete slab is connected to the pool structure with shear connectors to prevent subsidence. Hardwood decking is also available.



HEATING

Heat pumps are available fully installed from €3320 HT. We can also install; ground mounted solar heating from €2430 HT, frame mounted solar heating from €4000 HT and electric heating from €1460 HT.



SANITISATION

Salt-water chlorination is available fully installed from €1500 HT. Salt-water chlorination and pH regulation is available from €2300 HT. Automatic chlorine and pH regulation is available from €2500 HT.



SAFETY FENCING

Enclôture pool safety fencing is available from €65 TTC per metre. We can also install metal safety fencing and transparent safety barriers.



FOUR SEASON SAFETY COVERS

Safety covers with aluminium bars that are designed for every day use are available as an upgrade from €2090 HT.




AUTOMATIC SAFETY COVERS

Fully automatic submerged all-season safety covers for the ultimate in terms of aesthetics, quality and luxury are available as an upgrade from €5970.


OTHER OPTIONS

We can supply and install just about every other conceivable option including swim-jets, automatic cleaners, robots, solar showers, coloured underwater lights etc. Just ask us for details.


Copyright. Bluepools Limited. All rights reserved.
 No part of this drawing may be modified or copied or reproduced or used for any purpose without the written permission of Bluepools Limited.




TYPE A
 Hopper shape
 with or without safety ledge




TYPE B
 Hopper shape with extension
 with or without safety ledge




TYPE C
 Hopper shape with cut angle
 with or without safety ledge




TYPE D
 Lazy shape upgrade to
 hopper or flat shape




TYPE E
 Flat




TYPE F
 Flat comfort shape




TYPE G
 Full width steps upgrade to
 hopper or flat shape




TYPE H
 Triangular steps upgrade to lazy
 hopper shape or lazy flat shape




TYPE J
 Constant slope



TYPE K
 Three composite slopes




TYPE L
 Four composite slopes



TYPE M
 Safety ledge upgrade to
 hopper shape

NOTES

- Any pool type can be fitted with a 3m roman end.
- Pool types can be combined in almost any way to give a truly unique pool.

		Client	
		Title	
15 Av. de Lattre de Tassigny, 17500. Jonzac t: + 33 (0)5 46 48 37 99 w: www.bluepools.co.uk		Date	Rev
		JAN 06	001
		Scale	0
		1:300	
POOL SHAPES			

	BASIC RANGE					
	8x4	9x4	10x5	11x5	12x5	12x6
Planning						
Site visit to determine the optimum type, location and level of the pool within your garden and identify existing drains or services that may be located beneath the pool site	•	•	•	•	•	•
Site visit to assess the impact of pool location on a future fosse toutes eaux and filter bed installation	•	•	•	•	•	•
Preparation of pool design drawings for customer approval	•	•	•	•	•	•
Preparation of drawings for the planning submission	•	•	•	•	•	•
Excavation of a test pit by mini digger before work on site commences to minimise the 'below ground risk'	•	•	•	•	•	•
Pool structure						
Pool walls constructed from hollow polystyrene blocks with high strength reinforced concrete infill on strip foundation to Bluepools design. Structural design by Bluepools to give a design life of 40 years. Bluepools lifetime guarantee.	•	•	•	•	•	•
Shear connectors for subsequent installation of reinforced concrete slab for paving / decking. Bluepools lifetime guarantee.	•	•	•	•	•	•
Pool floor formed in fibre reinforced sand/cement screed laid directly on prepared subsoil to Bluepools design. Bluepools lifetime guarantee.	•	•	•	•	•	•
Excavation of pool by 10 tonne Komatsu digger	•	•	•	•	•	•
Backfilling behind pool walls	•	•	•	•	•	•
Inspection of pool excavation by an engineer to verify the design and validate the structural guarantee	•	•	•	•	•	•
Delivery of all the swimming pool elements to site. Transport of all plant and equipment to and away from the pool site.	•	•	•	•	•	•
Stainless steel 3 tread ladder	•	•	•	•	•	•
Plain roman end in blue, white or biege. Manufacturer's 10 yr guarantee.	-	-	-	-	-	-
Deluxe white roman end with mosaic tile band. Manufacturer's 10 yr guarantee.	-	-	-	-	-	-
Liner						
75/100 plain liner. Manufacturer's 10 yr guarantee.	•	•	•	•	•	•
75/100 plain liner with tile band. Manufacturer's 10 yr guarantee.	-	-	-	-	-	-
75/100 patterned liner with tile band. Manufacturer's 10 yr guarantee.	-	-	-	-	-	-
75/100 deluxe liner to match r/e (white walls, tile band and patterned floor). Manufacturer's 10 yr guarantee.	-	-	-	-	-	-
Anti-fungal protective felt to walls and floor. Manufacturer's 10 yr guarantee	•	•	•	•	•	•
Filtration						
Pool turnover rate (hours)	6 to 8	6 to 8	6 to 8	6 to 8	6 to 8	6 to 8
Water pump. Manufacturer's 2 yr guarantee.	0.5 CV	0.5 CV	0.75 CV	0.75 CV	0.75 CV	1.0 CV
Sand filter with lateral multiport valve. Manufacturer's 10 yr guarantee on filter body.	dia 500	dia 500	dia 600	dia 600	dia 600	dia 750
Skimmers	1	1	2	2	2	2
Main drains	1	1	1	1	1	1
Inlets	2	2	2	2	2	3
Vacuum point	-	-	-	-	-	-
Programmable time switch to control filtration	•	•	•	•	•	•

• included
- not included

	BASIC RANGE					
	8x4	9x4	10x5	11x5	12x5	12x6
Water treatment						
Initial adjustment of pH to correct range	•	•	•	•	•	•
Initial chlorine treatment	•	•	•	•	•	•
In line chlorine / bromine chemical feeder (5kg capacity)	-	-	-	-	-	-
Saltwater chlorination	-	-	-	-	-	-
pH regulation	-	-	-	-	-	-
Lights						
Underwater lights 300W	-	-	-	-	-	-
Margelles						
«Sahara» margelles	•	•	•	•	•	•
«Ardoise» margelles	-	-	-	-	-	-
Covers						
Solar cover and roller (blue). Manufactuer's 2 yr guarantee.	-	-	-	-	-	-
Winter debris cover (green). Manufactuer's 2 yr guarantee.	-	-	-	-	-	-
Accessories						
Backwash hose	10m	10m	10m	10m	10m	10m
Essential pool water chemical pack	-	-	-	-	-	-
Brush pack	-	-	-	-	-	-
Floating hose	-	-	-	-	-	-
Telescopic handle	-	-	-	-	-	-
pH and Chlorine test kit	-	-	-	-	-	-
Comprehensive operation and maintenance manual	•	•	•	•	•	•
Permenant membership of the Bluepools helpline	•	•	•	•	•	•

• included
- not included

	COGNAC RANGE					
	8x4	9x4	10x5	11x5	12x5	12x6
Planning						
Site visit to determine the optimum type, location and level of the pool within your garden and identify existing drains or services that may be located beneath the pool site	•	•	•	•	•	•
Site visit to assess the impact of pool location on a future fosse toutes eaux and filter bed installation	•	•	•	•	•	•
Preparation of pool design drawings for customer approval	•	•	•	•	•	•
Preparation of drawings for the planning submission	•	•	•	•	•	•
Excavation of a test pit by mini digger before work on site commences to minimise the 'below ground risk'	•	•	•	•	•	•
Pool structure						
Pool walls constructed from hollow polystyrene blocks with high strength reinforced concrete infill on strip foundation to Bluepools design. Structural design by Bluepools to give a design life of 40 years. Bluepools lifetime guarantee.	•	•	•	•	•	•
Shear connectors for subsequent installation of reinforced concrete slab for paving / decking. Bluepools lifetime guarantee.	•	•	•	•	•	•
Pool floor formed in fibre reinforced sand/cement screed laid directly on prepared subsoil to Bluepools design. Bluepools lifetime guarantee.	•	•	•	•	•	•
Excavation of pool by 10 tonne Komatsu digger	•	•	•	•	•	•
Backfilling behind pool walls	•	•	•	•	•	•
Inspection of pool excavation by an engineer to verify the design and validate the structural guarantee	•	•	•	•	•	•
Delivery of all the swimming pool elements to site. Transport of all plant and equipment to and away from the pool site.	•	•	•	•	•	•
Stainless steel 3 tread ladder	-	-	-	-	-	-
Plain roman end in blue, white or biege. Manufacturer's 10 yr guarantee.	•	•	•	•	•	•
Deluxe white roman end with mosaic tile band. Manufacturer's 10 yr guarantee.	-	-	-	-	-	-
Liner						
75/100 plain liner. Manufacturer's 10 yr guarantee.	•	•	•	•	•	•
75/100 plain liner with tile band. Manufacturer's 10 yr guarantee.	-	-	-	-	-	-
75/100 patterned liner with tile band. Manufacturer's 10 yr guarantee.	-	-	-	-	-	-
75/100 deluxe liner to match r/e (white walls, tile band and patterned floor). Manufacturer's 10 yr guarantee.	-	-	-	-	-	-
Anti-fungal protective felt to walls and floor. Manufacturer's 10 yr guarantee	•	•	•	•	•	•
Filtration						
Pool turnover rate (hours)	6 to 8	6 to 8	6 to 8	6 to 8	6 to 8	6 to 8
Water pump. Manufacturer's 2 yr guarantee.	0.5 CV	0.5 CV	0.75 CV	0.75 CV	0.75 CV	1.0 CV
Sand filter with lateral multiport valve. Manufacturer's 10 yr guarantee on filter body.	dia 500	dia 500	dia 600	dia 600	dia 600	dia 750
Skimmers	1	1	2	2	2	2
Main drains	1	1	1	1	1	1
Inlets	2	2	2	2	2	3
Vacuum point	•	•	•	•	•	•
Programmable time switch to control filtration	•	•	•	•	•	•

• included
- not included

	COGNAC RANGE					
	8x4	9x4	10x5	11x5	12x5	12x6
Water treatment						
Initial adjustment of pH to correct range	•	•	•	•	•	•
Initial chlorine treatment	•	•	•	•	•	•
In line chlorine / bromine chemical feeder (5kg capacity)	-	-	-	-	-	-
Saltwater chlorination	-	-	-	-	-	-
pH regulation	-	-	-	-	-	-
Lights						
Underwater lights 300W	-	-	-	-	-	-
Margelles						
«Sahara» margelles	•	•	•	•	•	•
«Ardoise» margelles	-	-	-	-	-	-
Covers						
Solar cover and roller (blue). Manufactuer's 2 yr guarantee.	•	•	•	•	•	•
Winter debris cover (green). Manufactuer's 2 yr guarantee.	•	•	•	•	•	•
Accessories						
Backwash hose	10m	10m	10m	10m	10m	10m
Essential pool water chemical pack	•	•	•	•	•	•
Brush pack	•	•	•	•	•	•
Floating hose	8m	8m	10m	12m	12m	12m
Telescopic handle	•	•	•	•	•	•
pH and Chlorine test kit	•	•	•	•	•	•
Comprehensive operation and maintenance manual	•	•	•	•	•	•
Permenant membership of the Bluepools helpline	•	•	•	•	•	•

• included
- not included

	BERGERAC RANGE					
	8x4	9x4	10x5	11x5	12x5	12x6
Planning						
Site visit to determine the optimum type, location and level of the pool within your garden and identify existing drains or services that may be located beneath the pool site	•	•	•	•	•	•
Site visit to assess the impact of pool location on a future fosse toutes eaux and filter bed installation	•	•	•	•	•	•
Preparation of pool design drawings for customer approval	•	•	•	•	•	•
Preparation of drawings for the planning submission	•	•	•	•	•	•
Excavation of a test pit by mini digger before work on site commences to minimise the 'below ground risk'	•	•	•	•	•	•
Pool structure						
Pool walls constructed from hollow polystyrene blocks with high strength reinforced concrete infill on strip foundation to Bluepools design. Structural design by Bluepools to give a design life of 40 years. Bluepools lifetime guarantee.	•	•	•	•	•	•
Shear connectors for subsequent installation of reinforced concrete slab for paving / decking. Bluepools lifetime guarantee.	•	•	•	•	•	•
Pool floor formed in fibre reinforced sand/cement screed laid directly on prepared subsoil to Bluepools design. Bluepools lifetime guarantee.	•	•	•	•	•	•
Excavation of pool by 10 tonne Komatsu digger	•	•	•	•	•	•
Backfilling behind pool walls	•	•	•	•	•	•
Inspection of pool excavation by an engineer to verify the design and validate the structural guarantee	•	•	•	•	•	•
Delivery of all the swimming pool elements to site. Transport of all plant and equipment to and away from the pool site.	•	•	•	•	•	•
Stainless steel 3 tread ladder	-	-	-	-	-	-
Plain roman end in blue, white or beige. Manufacturer's 10 yr guarantee.	•	•	•	•	•	•
Deluxe white roman end with mosaic tile band. Manufacturer's 10 yr guarantee.	-	-	-	-	-	-
Liner						
75/100 plain liner. Manufacturer's 10 yr guarantee.	-	-	-	-	-	-
75/100 plain liner with tile band. Manufacturer's 10 yr guarantee.	•	•	•	•	•	•
75/100 patterned liner with tile band. Manufacturer's 10 yr guarantee.	-	-	-	-	-	-
75/100 deluxe liner to match r/e (white walls, tile band and patterned floor). Manufacturer's 10 yr guarantee.	-	-	-	-	-	-
Anti-fungal protective felt to walls and floor. Manufacturer's 10 yr guarantee	•	•	•	•	•	•
Filtration						
Pool turnover rate (hours)	6 to 8	6 to 8	6 to 8	6 to 8	6 to 8	6 to 8
Water pump. Manufacturer's 2 yr guarantee.	0.5 CV	0.5 CV	0.75 CV	0.75 CV	0.75 CV	1.0 CV
Sand filter with lateral multiport valve. Manufacturer's 10 yr guarantee on filter body.	dia 500	dia 500	dia 600	dia 600	dia 600	dia 750
Skimmers	1	1	2	2	2	2
Main drains	1	1	1	1	1	1
Inlets	2	2	2	2	2	3
Vacuum point	•	•	•	•	•	•
Programmable time switch to control filtration	•	•	•	•	•	•

• included
- not included

	BERGERAC RANGE					
	8x4	9x4	10x5	11x5	12x5	12x6
Water treatment						
Initial adjustment of pH to correct range	•	•	•	•	•	•
Initial chlorine treatment	•	•	•	•	•	•
In line chlorine / bromine chemical feeder (5kg capacity)	•	•	•	•	•	•
Saltwater chlorination	-	-	-	-	-	-
pH regulation	-	-	-	-	-	-
Lights						
Underwater lights 300W	1	2	2	2	3	3
Margelles						
«Sahara» margelles	-	-	-	-	-	-
«Ardoise» margelles	•	•	•	•	•	•
Covers						
Solar cover and roller (blue). Manufactuer's 2 yr guarantee.	•	•	•	•	•	•
Winter debris cover (green). Manufactuer's 2 yr guarantee.	•	•	•	•	•	•
Accessories						
Backwash hose	10m	10m	10m	10m	10m	10m
Essential pool water chemical pack	•	•	•	•	•	•
Brush pack	•	•	•	•	•	•
Floating hose	8m	8m	10m	12m	12m	12m
Telescopic handle	•	•	•	•	•	•
pH and Chlorine test kit	•	•	•	•	•	•
Comprehensive operation and maintenance manual	•	•	•	•	•	•
Permenant membership of the Bluepools helpline	•	•	•	•	•	•

• included
- not included

	RIBERAC RANGE					
	8x4	9x4	10x5	11x5	12x5	12x6
Planning						
Site visit to determine the optimum type, location and level of the pool within your garden and identify existing drains or services that may be located beneath the pool site	•	•	•	•	•	•
Site visit to assess the impact of pool location on a future fosse toutes eaux and filter bed installation	•	•	•	•	•	•
Preparation of pool design drawings for customer approval	•	•	•	•	•	•
Preparation of drawings for the planning submission	•	•	•	•	•	•
Excavation of a test pit by mini digger before work on site commences to minimise the 'below ground risk'	•	•	•	•	•	•
Pool structure						
Pool walls constructed from hollow polystyrene blocks with high strength reinforced concrete infill on strip foundation to Bluepools design. Structural design by Bluepools to give a design life of 40 years. Bluepools lifetime guarantee.	•	•	•	•	•	•
Shear connectors for subsequent installation of reinforced concrete slab for paving / decking. Bluepools lifetime guarantee.	•	•	•	•	•	•
Pool floor formed in fibre reinforced sand/cement screed laid directly on prepared subsoil to Bluepools design. Bluepools lifetime guarantee.	•	•	•	•	•	•
Excavation of pool by 10 tonne Komatsu digger	•	•	•	•	•	•
Backfilling behind pool walls	•	•	•	•	•	•
Inspection of pool excavation by an engineer to verify the design and validate the structural guarantee	•	•	•	•	•	•
Delivery of all the swimming pool elements to site. Transport of all plant and equipment to and away from the pool site.	•	•	•	•	•	•
Stainless steel 3 tread ladder	-	-	-	-	-	-
Plain roman end in blue, white or biege. Manufacturer's 10 yr guarantee.	•	•	•	•	•	•
Deluxe white roman end with mosaic tile band. Manufacturer's 10 yr guarantee.	-	-	-	-	-	-
Liner						
75/100 plain liner. Manufacturer's 10 yr guarantee.	-	-	-	-	-	-
75/100 plain liner with tile band. Manufacturer's 10 yr guarantee.	-	-	-	-	-	-
75/100 patterned liner with tile band. Manufacturer's 10 yr guarantee.	•	•	•	•	•	•
75/100 deluxe liner to match r/e (white walls, tile band and patterned floor). Manufacturer's 10 yr guarantee.	-	-	-	-	-	-
Anti-fungal protective felt to walls and floor. Manufacturer's 10 yr guarantee	•	•	•	•	•	•
Filtration						
Pool turnover rate (hours)	6 to 8	6 to 8	6 to 8	6 to 8	6 to 8	6 to 8
Water pump. Manufacturer's 2 yr guarantee.	0.5 CV	0.5 CV	0.75 CV	0.75 CV	0.75 CV	1.0 CV
Sand filter with lateral multiport valve. Manufacturer's 10 yr guarantee on filter body.	dia 500	dia 500	dia 600	dia 600	dia 600	dia 750
Skimmers	1	1	2	2	2	2
Main drains	1	1	1	1	1	1
Inlets	2	2	2	2	2	3
Vacuum point	•	•	•	•	•	•
Programmable time switch to control filtration	•	•	•	•	•	•

• included
- not included

	RIBERAC RANGE					
	8x4	9x4	10x5	11x5	12x5	12x6
Water treatment						
Initial adjustment of pH to correct range	•	•	•	•	•	•
Initial chlorine treatment	•	•	•	•	•	•
In line chlorine / bromine chemical feeder (5kg capacity)	-	-	-	-	-	-
Saltwater chlorination	•	•	•	•	•	•
pH regulation	-	-	-	-	-	-
Lights						
Underwater lights 300W	1	2	2	2	3	3
Margelles						
«Sahara» margelles	-	-	-	-	-	-
«Ardoise» margelles	•	•	•	•	•	•
Covers						
Solar cover and roller (blue). Manufactuer's 2 yr guarantee.	•	•	•	•	•	•
Winter debris cover (green). Manufactuer's 2 yr guarantee.	•	•	•	•	•	•
Accessories						
Backwash hose	10m	10m	10m	10m	10m	10m
Essential pool water chemical pack	•	•	•	•	•	•
Brush pack	•	•	•	•	•	•
Floating hose	8m	8m	10m	12m	12m	12m
Telescopic handle	•	•	•	•	•	•
pH and Chlorine test kit	•	•	•	•	•	•
Comprehensive operation and maintenance manual	•	•	•	•	•	•
Permenant membership of the Bluepools helpline	•	•	•	•	•	•

• included
- not included

	JONZAC RANGE					
	8x4	9x4	10x5	11x5	12x5	12x6
Planning						
Site visit to determine the optimum type, location and level of the pool within your garden and identify existing drains or services that may be located beneath the pool site	•	•	•	•	•	•
Site visit to assess the impact of pool location on a future fosse toutes eaux and filter bed installation	•	•	•	•	•	•
Preparation of pool design drawings for customer approval	•	•	•	•	•	•
Preparation of drawings for the planning submission	•	•	•	•	•	•
Excavation of a test pit by mini digger before work on site commences to minimise the 'below ground risk'	•	•	•	•	•	•
Pool structure						
Pool walls constructed from hollow polystyrene blocks with high strength reinforced concrete infill on strip foundation to Bluepools design. Structural design by Bluepools to give a design life of 40 years. Bluepools lifetime guarantee.	•	•	•	•	•	•
Shear connectors for subsequent installation of reinforced concrete slab for paving / decking. Bluepools lifetime guarantee.	•	•	•	•	•	•
Pool floor formed in fibre reinforced sand/cement screed laid directly on prepared subsoil to Bluepools design. Bluepools lifetime guarantee.	•	•	•	•	•	•
Excavation of pool by 10 tonne Komatsu digger	•	•	•	•	•	•
Backfilling behind pool walls	•	•	•	•	•	•
Inspection of pool excavation by an engineer to verify the design and validate the structural guarantee	•	•	•	•	•	•
Delivery of all the swimming pool elements to site. Transport of all plant and equipment to and away from the pool site.	•	•	•	•	•	•
Stainless steel 3 tread ladder	-	-	-	-	-	-
Plain roman end in blue, white or beige. Manufacturer's 10 yr guarantee.	-	-	-	-	-	-
Deluxe white roman end with mosaic tile band. Manufacturer's 10 yr guarantee.	•	•	•	•	•	•
Liner						
75/100 plain liner. Manufacturer's 10 yr guarantee.	-	-	-	-	-	-
75/100 plain liner with tile band. Manufacturer's 10 yr guarantee.	-	-	-	-	-	-
75/100 patterned liner with tile band. Manufacturer's 10 yr guarantee.	-	-	-	-	-	-
75/100 deluxe liner to match r/e (white walls, tile band and patterned floor). Manufacturer's 10 yr guarantee.	•	•	•	•	•	•
Anti-fungal protective felt to walls and floor. Manufacturer's 10 yr guarantee	•	•	•	•	•	•
Filtration						
Pool turnover rate (hours)	6 to 8	6 to 8	6 to 8	6 to 8	6 to 8	6 to 8
Water pump. Manufacturer's 2 yr guarantee.	0.5 CV	0.5 CV	0.75 CV	0.75 CV	0.75 CV	1.0 CV
Sand filter with lateral multiport valve. Manufacturer's 10 yr guarantee on filter body.	dia 500	dia 500	dia 600	dia 600	dia 600	dia 750
Skimmers	1	1	2	2	2	2
Main drains	1	1	1	1	1	1
Inlets	2	2	2	2	2	3
Vacuum point	•	•	•	•	•	•
Programmable time switch to control filtration	•	•	•	•	•	•

• included
- not included

	JONZAC RANGE					
	8x4	9x4	10x5	11x5	12x5	12x6
Water treatment						
Initial adjustment of pH to correct range	•	•	•	•	•	•
Initial chlorine treatment	•	•	•	•	•	•
In line chlorine / bromine chemical feeder (5kg capacity)	-	-	-	-	-	-
Saltwater chlorination	•	•	•	•	•	•
pH regulation	•	•	•	•	•	•
Lights						
Underwater lights 300W	1	2	2	2	3	3
Margelles						
«Sahara» margelles	-	-	-	-	-	-
«Ardoise» margelles	•	•	•	•	•	•
Covers						
Solar cover and roller (blue). Manufactuer's 2 yr guarantee.	•	•	•	•	•	•
Winter debris cover (green). Manufactuer's 2 yr guarantee.	•	•	•	•	•	•
Accessories						
Backwash hose	10m	10m	10m	10m	10m	10m
Essential pool water chemical pack	•	•	•	•	•	•
Brush pack	•	•	•	•	•	•
Floating hose	8m	8m	10m	12m	12m	12m
Telescopic handle	•	•	•	•	•	•
pH and Chlorine test kit	•	•	•	•	•	•
Comprehensive operation and maintenance manual	•	•	•	•	•	•
Permenant membership of the Bluepools helpline	•	•	•	•	•	•

• included
- not included